


## ALUMINIUM STAIR NOSING

### Glow In The Dark



**SKU**

AL-CAR-77

**CO-EFFICIENT OF FRICTION:**


CLASS = P5

**BRIEF DESCRIPTION**

- Heavy duty anodised aluminium frame
- High quality anodised aluminium stair nosing with two moulded Carborundum and one luminous glow in the dark strip for low light conditions
- Guaranteed from delamination for 5 years from purchase date
- Supplied cut to length or up to 3M length


**MAXIMUM LENGTH**

3 Metres



## ALUMINIUM STAIR NOSING - Carborundum 4 Strip

### Available in Black / Safety Yellow



**SKU**

A4-CAR-76B (Black)  
A4-CAR-76Y (Safety Yellow)

**CO-EFFICIENT OF FRICTION:**


CLASS = P5

**BRIEF DESCRIPTION**

- High quality anodised aluminium stair nosing with 4 Carborundum moulded inserts
- Extra heavy duty anodised aluminium frame
- Available in Black or Safety Yellow
- Guaranteed from delamination for 5 years from purchase date
- Supplied cut to length or up to 3M length



**MAXIMUM LENGTH**

3 Metres



## ALUMINIUM STAIR NOSING - Carborundum Solid

Available in Black / Safety Yellow



**SKU**

A1-CAR-59B (Black)  
A1-CAR-59Y (Safety Yellow)

**CO-EFFICIENT OF FRICTION:**

CLASS = P5



**BRIEF DESCRIPTION**

- High quality anodised aluminium Stair nosing with single wide moulded carborundum strip
- Heavy duty anodised aluminium frame
- Available in Black or Safety Yellow
- Guaranteed from delamination for 5 years from purchase date
- Supplied cut to length or up to 3M length

**MAXIMUM LENGTH**

3 Metres

## ALUMINIUM STAIR NOSING - Integrated



**SKU**

AAI-57

**CO-EFFICIENT OF FRICTION:**

CLASS = P5

**BRIEF DESCRIPTION**




- High Quality anodised aluminium nosing with integrated rib
- Heavy duty and cost effective
- Supplied cut to length or up to 3M length

**MAXIMUM LENGTH**

3 Metres

## ALUMINIUM STAIR NOSING - with Rubber Insert

Available with Black / Safety Yellow Insert



AD 60mm  
stair tread nosing cross section

### SKU

AD60B (Black)  
AD60Y (Safety Yellow)

### OPUS CO-EFFICIENT OF FRICTION:

MEAN BP = 39 CLASS = P3

### BRIEF DESCRIPTION



- Pre drilled quality anodised aluminium stair nosing complete with PVC rubber insert.
- Protect the stairs from further wear.
- Price includes concrete plugs and stainless steel screws for fitting.
- Available in 1m to 3m lengths.

### MAXIMUM LENGTH

3 Metres

## ALUMINIUM STAIR NOSING - with Rubber Insert

Glow In The Dark



AD GLO 60mm  
stair tread nosing cross section

### SKU

AD60GLO

### OPUS CO-EFFICIENT OF FRICTION:

MEAN BP = 39 CLASS = P3

### BRIEF DESCRIPTION

- Pre drilled quality anodised aluminium stair nosing complete with PVC rubber insert.
- Protect the stairs from further wear.
- Price includes concrete plugs and stainless steel screws for fitting.
- Available in 1m to 3m lengths.
- Glow in the dark

### MAXIMUM LENGTH

3 Metres